ELSEVIER

Journal of Organometallic Chemistry 517 (1996) 243

Journal of Organometallic Chemistry

Author Index of Volume 517

Ainscough, E.W., 173

Bambirra, S., 161
Barba, L., 141
Bates, R.W., 9
Baum, T.H., 53
Beck, W., 191
Behrens, U., 81
Bott, S.G., 9
Brodie, A.M., 173
Brunner, H., 47
Bullock, J.P., 9

Casas, J.S., 165
Cassetta, A., 141
Castiñeiras, A., 165
Cingolani, A., 141
Coll, R.K., 173
Couce, M.D., 165
Courtois, G., 37

Delgado, F., 9
Depree, C.V., 201
Dervisi, A., 123
Doppelt, P., 53

Ferguson, G., 183

Gehart, G., 47
Geoffroy, G.L., 133
Ghaffar, T., 227
Gibbons, M.N., 101
Gimenez, C., 133
Glidewell, C., 183
Godard, A., 25
Grove, D.M., 123

Haggerty, B.S., 89
Haiduc, I., 101
Hardcastle, K.I., 155
Hemling, H., 161
Houghton, R.P., 107
Hughes, R.P., 63, 89

Jordan, V., 81

Kabir, S.E., 155
Kapoor, P., 71
Kapteijn, G.M., 123
Karim, M.M., 155
Khan, M.M., 9
Kieszkiewicz, A., 227
Klaus, E., 235
Klaus, U., 235
Kotch, T.G., 173
Krämer, R., 191
Kukushkin, V.Yu., 71
Kundu, K., 155

Leblanc, J.-C., 47
Lees, A.J., 173
Liaw, Y.-C., 217
Lin, J.T., 217
Lin, K.-J., 217
Lobbia, G.G., 141
Lomprey, J.R., 63, 89
Lövqvist, K., 71
Lugan, N., 133
Luinstra, G.A., 209

Main, L., 201
Mair, A.J.A., 173
Marchetti, F., 141
Marsais, F., 25
Martinez, G., 165
Mathieu, R., 133
Miginiac, L., 37
Mihan, S., 191
Milius, W., 235
Mogi, E., 1
Moise, C., 47
Motoyama, I., 115
Mulvaney, A.W., 107

Nagarajan, A., 9
Nicholson, B.K., 201
Nuber, B., 47
Nyburg, S.C., 227

Olbrich, F., 81
Opromolla, G., 183
Oskarsson, Å., 71

Parkins, A.W., 227
Pettinari, C., 141
Polborn, K., 191
Pomel, V., 25

Quéguiner, G., 25

Reyes-Lezama, M., 19
Rheingold, A.L., 63, 89
Roberts, K., 201
Rocca, P., 25
Rovera, J.C., 25

Sano, H., 115
Sato, M., 1
Schaller, T., 235
Schumann, H., 161
Shimoi, M., 115
Silaghi-Dumitrescu, I., 101
Silaghi-Dumitrescu, L., 101
Sordo, J., 165
Sowerby, D.B., 101
Stubenhofer, B., 47
Sun, S.-S., 217

Tamariz, J., 9
Thaburet, J.F., 25
Thiele, K.-H., 161
Thomas-dit-Dumont, L., 25
Toscano, R.A., 19

Ullah, S.M.B., 155
Urban, R., 191

Van den Broek, M.A.F.H., 123
Van Koten, G., 123
Varela, J.M., 165
Verhoef, M.J., 123
Villar, L., 9
Volpato, F., 47

Wachter, J., 47
Wagner, B., 191
Watanabe, M., 115
Waters, J.M., 173
Weiss, E., 81
Wrackmeyer, B., 235
Wu, J.J., 217

Yap, G.P.A., 63, 89

Zakaria, C.M., 183
Zanello, P., 183
Zepeda, G., 9
Zukerman-Schpector, J., 101
Zúñiga-Villarreal, N., 19

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 517 (1996) 245–250

Journal of Organometallic Chemistry

Subject Index of Volume 517

Acetylide complex
Preparation and some properties of Mn(I) metallocenylacetylide and the related complexes (M. Sato and E. Mogi), 1
Acyl
Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides. (Part II): methoxide formation and carbonylation reactions (G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.H. Van den Broek, D.M. Grove and G. Van Koten), 123
Alkoxide
Synthesis and reactivity of titanocene and zirconocene triflates (G.A. Luinstra), 209
Alkoxides
Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides. (Part II): methoxide formation and carbonylation reactions (G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.H. Van den Broek, D.M. Grove and G. Van Koten), 123
Alkyl
Synthesis and reactivity of titanocene and zirconocene triflates (G.A. Luinstra), 209
Alkyne
Rhenium carbonyls containing pyridyl ligands incorporating an alkyne entity (J.T. Lin, S.-S. Sun, J.J. Wu, Y.-C. Liaw and K.-J. Lin), 217
Alkyne complexes
Alkyne complexes of copper(I) (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato): syntheses and characterization of (η^2-bis(trimethylsilyl)acetylene) copper(I) (hfac), (μ-η^2-bis(trimethylsilyl)-acetylene) bis(copper(I) (hfac)) and a series of (η^2-alkyne) Cu(hfac) complexes (P. Doppelt and T.H. Baum), 53
Allylic aminoesters
Etude de la régiosélectivite de l'action des organozinciques α-insaturés sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. III. Synthèse de 3-amino-1,5 (ou 1,6)-diols, cyclisation en 3-prop-1-énylmorpholines et en 5-s-butyl-2,3-dihydro-6*H*-1,4-oxazines substituées (G. Courtois et L. Miginiac), 37
α-Amino carboxylates
Metal complexes of biologically important ligands, LXXXVII. α-Amino carboxylate complexes of palladium(II), iridium(III) and ruthenium(II) from chloro-bridged ortho-metallated metal compounds and $[(OC)_3Ru(Cl)(\mu\text{-}Cl)]_2$ (R. Urban, R. Krämer, S. Mihan, K. Polborn, B. Wagner and W. Beck), 191
Aminodiols
Etude de la régiosélectivite de l'action des organozinciques α-insaturés sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. III. Synthèse de 3-amino-1,5 (ou 1,6)-diols, cyclisation en 3-prop-1-énylmorpholines et en 5-s-butyl-2,3-dihydro-6*H*-1,4-oxazines substituées (G. Courtois et L. Miginiac), 37
Anthracene
Synthesis, properties and X-ray crystal structure of bis(decamethyllanthanocene)-anthracene (K.-H. Thiele, S. Bambirra, H. Schumann and H. Hemling), 161
Arsenic
Oxidation of $(AsPh_2)_2E$ (E = O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetranuclear adduct and crystal structure of $[AsPh_2(O)OH \cdot AsPh_2(S)OH]_2$ (L. Silaghi-Dumitrescu, M.N. Gibbons, I. Silaghi-Dumitrescu, J. Zukerman-Schpector, I. Haiduc and D.B. Sowerby), 101
Arsinic acid
Oxidation of $(AsPh_2)_2E$ (E = O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetranuclear adduct and crystal structure of $[AsPh_2(O)OH \cdot AsPh_2(S)OH]_2$ (L. Silaghi-Dumitrescu, M.N. Gibbons, I. Silaghi-Dumitrescu, J. Zukerman-Schpector, I. Haiduc and D.B. Sowerby), 101
Arylation
Highly stereoselective palladium-catalyzed coupling reactions of captodative olefins acetylvinyl arenecarboxylates (L. Villar, J.P. Bullock, M.M. Khan, A. Nagarajan, R.W. Bates, S.G. Bott, G. Zepeda, F. Delgado and J. Tamariz), 9
Aryloxides
Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides. (Part II): methoxide formation and carbonylation reactions (G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.H. Van den Broek, D.M. Grove and G. Van Koten), 123
Azabutadienes
Cycloaddition reactions of the manganese vinylidene $Cp'(CO)_2Mn{=}C{=}C(H)R$, carbyne $[Cp'(CO)_2Mn{\equiv}CCH_2R]^+$, and anionic carbene $[Cp'(CO)_2Mn{=}C(OEt)CHR]^-$ (R = H, Me) complexes with 1,4-diphenyl-1-azabutadiene (C. Gimenez, N. Lugan, R. Mathieu and G.L. Geoffroy), 133
Binuclear
The role of μ-hydroxy and μ-alkoxy binuclear complexes in tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 107
Biologically-important ligands
Metal complexes of biologically important ligands, LXXXVII. α-Amino carboxylate complexes of palladium(II), iridium(III) and ruthenium(II) from chloro-bridged ortho-metallated metal compounds and $[(OC)_3Ru(Cl)(\mu\text{-}Cl)]_2$ (R. Urban, R. Krämer, S. Mihan, K. Polborn, B. Wagner and W. Beck), 191
π-Bonding
Synthesis, properties and X-ray crystal structure of bis(decamethyllanthanocene)-anthracene (K.-H. Thiele, S. Bambirra, H. Schumann and H. Hemling), 161
Boron
Stannacyclohexanes and spiro-tin compounds with a stannole or a stannolene group (B. Wrackmeyer, U. Klaus, W. Milius, E. Klaus and T. Schaller), 235
Carbene
Cycloaddition reactions of the manganese vinylidene $Cp'(CO)_2Mn{=}C{=}C(H)R$, carbyne $[Cp'(CO)_2Mn{\equiv}CCH_2R]^+$, and anionic carbene $[Cp'(CO)_2Mn{=}C(OEt)CHR]^-$ (R = H, Me) complexes with

Elsevier Science S.A.

1,4-diphenyl-1-azabutadiene (C. Gimenez, N. Lugan, R. Mathieu and G.L. Geoffroy), 133

Carbon 13
Alkyne complexes of copper(I) (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato): syntheses and characterization of (η^2-bis(trimethylsilyl)acetylene) copper(I) (hfac), (μ-η^2-bis(trimethylsilyl)acetylene) bis(copper(I) (hfac)) and a series of (η^2-alkyne) Cu(hfac) complexes (P. Doppelt and T.H. Baum), 53

Carbonyl
Molybdenum and tungsten complexes containing the 1,2-di-*tert*-butylcyclopentadienyl ligand (R.P. Hughes, J.R. Lomprey, A.L. Rheingold and G.P.A. Yap), 63
Preparation and structures of tetrameric and dimeric manganese carbonyl complexes incorporating thiosalicylato ligands (C.V. Depree, L. Main, B.K. Nicholson and K. Roberts), 201
Rhenium carbonyls containing pyridyl ligands incorporating an alkyne entity (J.T. Lin, S.-S. Sun, J.J. Wu, Y.-C. Liaw and K.-J. Lin), 217
Some pyridine-2-thiolato and 6-methylpyridine-2-thiolato complexes of manganese: crystal structure of $[Mn_2(\mu\text{-pyS})_2(CO)_6]$ (pyS = pyridine-2-thiolato ligand) (S.E. Kabir, M.M. Karim, K. Kundu, S.M.B. Ullah and K.I. Hardcastle), 155

Carbonylation
Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides. (Part II): methoxide formation and carbonylation reactions (G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.H. Van den Broek, D.M. Grove and G. Van Koten), 123

Carbyne
Cycloaddition reactions of the manganese vinylidene $Cp'(CO)_2Mn{=}C{=}C(H)R$, carbyne $[Cp'(CO)_2Mn{\equiv}CCH_2R]^+$, and anionic carbene $[Cp'(CO)_2Mn{=}C(OEt)CHR]^-$ (R = H, Me) complexes with 1,4-diphenyl-1-azabutadiene (C. Gimenez, N. Lugan, R. Mathieu and G.L. Geoffroy), 133

Chemical vapor deposition
Alkyne complexes of copper(I) (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato): syntheses and characterization of (η^2-bis(trimethylsilyl)acetylene) copper(I) (hfac), (μ-η^2-bis(trimethylsilyl)acetylene) bis(copper(I) (hfac)) and a series of (η^2-alkyne) Cu(hfac) complexes (P. Doppelt and T.H. Baum), 53

Chromium
Addition of $Cr(CO)_5$ to the $M(\eta^2\text{-}S_2)$ moiety of $Cp_2M(S_2)H$ (Cp' = $^tBuC_5H_4$: M = Ta; $Cp^x = C_5Me_4Et$: M = Nb) and crystal structures of $Cp'_2TaS_2H \cdot [Cr(CO)_5]_n$ (n = 1, 2) (H. Brunner, G. Gehart, J.-C. Leblanc, C. Moise, B. Nuber, B. Stubenhofer, F. Volpato and J. Wachter), 47

Cis-*trans* influence
Trans influence in platinum(II)i complexes. Phenylation of Pt(II) dialkylsulfide complexes by BPh_4^- and $SnPh_3H$. Crystal structures of two polymorphs of *trans*-chlorobis(dimethylsulfide)-(phenyl)platinum(II) (P. Kapoor, V.Yu. Kukushkin, K. Lövqvist and Å. Oskarsson), 71

Cluster
Preparation and structures of tetrameric and dimeric manganese carbonyl complexes incorporating thiosalicylato ligands (C.V. Depree, L. Main, B.K. Nicholson and K. Roberts), 201

Competition between ligands
The crystal structure of the salts [Hthiamine] $[SnMe_2(H_2O)Cl_3]Cl$ and [Hthiamine][$SnPh_2Cl_4$]H_2O: competition between water and chloride for coordination to diorganotin dihalides (J.S. Casas, A. Castiñeiras, M.D. Couce, G. Martinez, J. Sordo and J.M. Varela), 165

Copper
Alkyne complexes of copper(I) (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato): syntheses and characterization of (η^2-bis(trimethylsilyl)acetylene) copper(I) (hfac), (μ-η^2-bis(trimethylsilyl)acetylene) bis(copper(I) (hfac)) and a series of (η^2-alkyne) Cu(hfac) complexes (P. Doppelt and T.H. Baum), 53

Coupling reactions
Highly stereoselective palladium-catalyzed coupling reactions of captodative olefins acetylvinyl arenecarboxylates (L. Villar, J.P. Bullock, M.M. Khan, A. Nagarajan, R.W. Bates, S.G. Bott, G. Zepeda, F. Delgado and J. Tamariz), 9

Crystal structure
Alkyne complexes of copper(I) (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato): syntheses and characterization of (η^2-bis(trimethylsilyl)acetylene) copper(I) (hfac), (μ-η^2-bis(trimethylsilyl)acetylene) bis(copper(I) (hfac)) and a series of (η^2-alkyne) Cu(hfac) complexes (P. Doppelt and T.H. Baum), 53
Oxidation of $(AsPh_2)_2E$ (E = O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetranuclear adduct and crystal structure of $[AsPh_2(O)OH \cdot AsPh_2(S)OH]_2$ (L. Silaghi-Dumitrescu, M.N. Gibbons, I. Silaghi-Dumitrescu, J. Zukerman-Schpector, I. Haiduc and D.B. Sowerby), 101
Preparation and structures of tetrameric and dimeric manganese carbonyl complexes incorporating thiosalicylato ligands (C.V. Depree, L. Main, B.K. Nicholson and K. Roberts), 201
Some pyridine-2-thiolato and 6-methylpyridine-2-thiolato complexes of manganese: crystal structure of $[Mn_2(\mu\text{-pyS})_2(CO)_6]$ (pyS = pyridine-2-thiolato ligand) (S.E. Kabir, M.M. Karim, K. Kundu, S.M.B. Ullah and K.I. Hardcastle), 155
Some reactions of 2,4-diphosphaplatinocycles and the crystal structures of $[\overbrace{PtCH_2PPh_2CH_2}PPh_2(PPh_3)(CH_2Cl)]PF_6$, $[\overbrace{Pt(CH_2PPh_2CH_2}PPh_2)_2](PF_6)_2$, and $[\overbrace{PtCH_2PPh_2CH_2}PPh_2(PPh_3)(OCMe_2)](PF_6)_2$ (T. Ghaffar, A. Kieszkiewicz, S.C. Nyburg and A.W. Parkins), 227
The photochemical reactivity of triosmium cluster complexes containing 2-mercaptopyridine ligands: the crystal and molecular structures of the linked clusters $[\{Os_3H(CO)_{10}\}_2(\mu\text{-}SC_5H_3NCO_2)]$ and $[\{Os_3H(CO)_9\}(\mu\text{-}SC_5H_3NCO_2)\{Os_3H(CO)_{10}\}]$ (E.W. Ainscough, A.M. Brodie, R.K. Coll, T.G. Kotch, A.J. Lees, A.J.A. Mair and J.M. Waters), 173
The redox behaviour of some bis-ferrocenyl compounds: crystal and molecular structures of diferrocenylmethane and diferrocenylmethanol (G. Ferguson, C. Glidewell, G. Opromolla, C.M. Zakaria and P. Zanello), 183
Trans influence in platinum(II)i complexes. Phenylation of Pt(II) dialkylsulfide complexes by BPh_4^- and $SnPh_3H$. Crystal structures of two polymorphs of *trans*-chlorobis(dimethylsulfide)-(phenyl)platinum(II) (P. Kapoor, V.Yu. Kukushkin, K. Lövqvist and Å. Oskarsson), 71
Über Metallalkyl- und Arylverbindungen LV. Cyclopentadienyl- und Indenyl-Verbindungen des Kaliums und Natriums (V. Jordan, U. Behrens, F. Olbrich und E. Weiss), 81

Cubanes
Organometallic alkylthiolate-bridged manganese cubanes (M. Reyes-Lezama, R.A. Toscano and N. Zúñiga-Villarreal), 19

Cyclization
Etude de la régiosélectivite de l'action des organozinciques α-insaturés sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. III. Synthèse de 3-amino-1,5 (ou 1,6)-diols, cyclisation en 3-prop-1-énylmorpholines et en 5-s-butyl-2,3-dihydro-6*H*-1,4-oxazines substituées (G. Courtois et L. Miginiac), 37

Cycloadditions
Cycloaddition reactions of the manganese vinylidene $Cp'(CO)_2Mn{=}C{=}C(H)R$, carbyne $[Cp'(CO)_2Mn{\equiv}CCH_2R]^+$, and anionic carbene $[Cp'(CO)_2Mn{=}C(OEt)CHR]^-$ (R = H, Me) complexes with 1,4-diphenyl-1-azabutadiene (C. Gimenez, N. Lugan, R. Mathieu and G.L. Geoffroy), 133

Cyclopentadienyl carbanions
Über Metallalkyl- und Arylverbindungen LV. Cyclopentadienyl- und Indenyl-Verbindungen des Kaliums und Natriums (V. Jordan, U. Behrens, F. Olbrich und E. Weiss), 81
Cyclopentadienyls
Molybdenum and tungsten complexes containing the 1,2-di-*tert*-butylcyclopentadienyl ligand (R.P. Hughes, J.R. Lomprey, A.L. Rheingold and G.P.A. Yap), 63
Synthesis and molecular structures of titanocene, zirconocene, and uranocene dichlorides containing 1,2-di-*tert*-butylcyclopentadienyl ligands (R.P. Hughes, J.R. Lomprey, A.L. Rheingold, B.S. Haggerty and G.P.A. Yap), 89
Diamino
Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides. (Part II): methoxide formation and carbonylation reactions (G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.H. Van den Broek, D.M. Grove and G. Van Koten), 123
2,3-dihydro-1,3-oxazines
Etude de la régiosélectivite de l'action des organozinciques α-insaturés sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. III. Synthèse de 3-amino-1,5 (ou 1,6)-diols, cyclisation en 3-prop-1-énylmorpholines et en 5-s-butyl-2,3-dihydro-6*H*-1,4-oxazines substituées (G. Courtois et L. Miginiac), 37
Dimethyltin compounds
The crystal structure of the salts [Hthiamine] $[SnMe_2(H_2O)Cl_3]Cl$ and [Hthiamine]$[SnPh_2Cl_4]H_2O$: competition between water and chloride for coordination to diorganotin dihalides (J.S. Casas, A. Castiñeiras, M.D. Couce, G. Martinez, J. Sordo and J.M. Varela), 165
Distannoxane
The role of μ-hydroxy and μ-alkoxy binuclear complexes in tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 107
Disulfide ligand
Addition of $Cr(CO)_5$ to the $M(\eta^2\text{-}S_2)$ moiety of $Cp_2M(S_2)H$ (Cp′ = $^tBuC_5H_4$: M = Ta; $Cp^x = C_5Me_4Et$: M = Nb) and crystal structures of $Cp'_2TaS_2H \cdot [Cr(CO)_5]_n$ ($n = 1$, 2) (H. Brunner, G. Gehart, J.-C. Leblanc, C. Moise, B. Nuber, B. Stubenhofer, F. Volpato and J. Wachter), 47
Electrochemistry
The redox behaviour of some bis-ferrocenyl compounds: crystal and molecular structures of diferrocenylmethane and diferrocenylmethanol (G. Ferguson, C. Glidewell, G. Opromolla, C.M. Zakaria and P. Zanello), 183
Ferrocene
Preparation and some properties of Mn(I) metallocenylacetylide and the related complexes (M. Sato and E. Mogi), 1
The redox behaviour of some bis-ferrocenyl compounds: crystal and molecular structures of diferrocenylmethane and diferrocenylmethanol (G. Ferguson, C. Glidewell, G. Opromolla, C.M. Zakaria and P. Zanello), 183
Fluxional molecules
Synthesis and molecular structures of titanocene, zirconocene, and uranocene dichlorides containing 1,2-di-*tert*-butylcyclopentadienyl ligands (R.P. Hughes, J.R. Lomprey, A.L. Rheingold, B.S. Haggerty and G.P.A. Yap), 89
Hydrogen bonding
Oxidation of $(AsPh_2)_2E$ (E = O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetranuclear adduct and crystal structure of $[AsPh_2(O)OH \cdot AsPh_2(S)OH]_2$ (L. Silaghi-Dumitrescu, M.N. Gibbons, I. Silaghi-Dumitrescu, J. Zukerman-Schpector, I. Haiduc and D.B. Sowerby), 101
Indenyl carbanions
Über Metallalkyl- und Arylverbindungen LV. Cyclopentadienyl- und Indenyl-Verbindungen des Kaliums und Natriums (V. Jordan, U. Behrens, F. Olbrich und E. Weiss), 81
Iridium
Metal complexes of biologically important ligands, LXXXVII. α-Amino carboxylate complexes of palladium(II), iridium(III) and ruthenium(II) from chloro-bridged ortho-metallated metal compounds and $[(OC)_3Ru(Cl)(\mu\text{-}Cl)]_2$ (R. Urban, R. Krämer, S. Mihan, K. Polborn, B. Wagner and W. Beck), 191
Iron
The redox behaviour of some bis-ferrocenyl compounds: crystal and molecular structures of diferrocenylmethane and diferrocenylmethanol (G. Ferguson, C. Glidewell, G. Opromolla, C.M. Zakaria and P. Zanello), 183
Lanthanocene
Synthesis, properties and X-ray crystal structure of bis(decamethyllanthanocene)-anthracene (K.-H. Thiele, S. Bambirra, H. Schumann and H. Hemling), 161
Manganese
Cycloaddition reactions of the manganese vinylidene $Cp'(CO)_2Mn{=}C{=}C(H)R$, carbyne $[Cp'(CO)_2Mn{\equiv}CCH_2R]^+$, and anionic carbene $[Cp'(CO)_2Mn{=}C(OEt)CHR]^-$ (R = H, Me) complexes with 1,4-diphenyl-1-azabutadiene (C. Gimenez, N. Lugan, R. Mathieu and G.L. Geoffroy), 133
Organometallic alkylthiolate-bridged manganese cubanes (M. Reyes-Lezama, R.A. Toscano and N. Zúñiga-Villarreal), 19
Preparation and structures of tetrameric and dimeric manganese carbonyl complexes incorporating thiosalicylato ligands (C.V. Depree, L. Main, B.K. Nicholson and K. Roberts), 201
Some pyridine-2-thiolato and 6-methylpyridine-2-thiolato complexes of manganese: crystal structure of $[Mn_2(\mu\text{-}pyS)_2(CO)_6]$ (pyS = pyridine-2-thiolato ligand) (S.E. Kabir, M.M. Karim, K. Kundu, S.M.B. Ullah and K.I. Hardcastle), 155
Manganese complex
Preparation and some properties of Mn(I) metallocenylacetylide and the related complexes (M. Sato and E. Mogi), 1
Metallacycle
Preparation and some properties of Mn(I) metallocenylacetylide and the related complexes (M. Sato and E. Mogi), 1
Metallocenes
Molecular structure of chlororuthenocenium$^+BF_4^-$ and chlorobiruthenocenium$^+BF_4^-$ salts (M. Watanabe, I. Motoyama, M. Shimoi and H. Sano), 115
Synthesis and reactivity of titanocene and zirconocene triflates (G.A. Luinstra), 209
Metallocone
Synthesis, properties and X-ray crystal structure of bis(decamethyllanthanocene)-anthracene (K.-H. Thiele, S. Bambirra, H. Schumann and H. Hemling), 161
Metallocycle
Some reactions of 2,4-diphosphaplatinocycles and the crystal structures of $[\overbrace{PtCH_2PPh_2CH_2PPh_2}(\underline{PPh_3)(CH_2Cl)}]PF_6$, $[\overbrace{Pt(CH_2PPh_2CH_2PPh_2)_2}](PF_6)_2$, and $[\overbrace{PtCH_2PPh_2CH_2PPh_2}\text{-}(PPh_3)(OCMe_2)](PF_6)_2$ (T. Ghaffar, A. Kieszkiewicz, S.C. Nyburg and A.W. Parkins), 227
Methoxycarbonyl
Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides. (Part II): methoxide formation and carbonylation reactions (G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.H. Van den Broek, D.M. Grove and G. Van Koten), 123
Molybdenum
Addition of $Cr(CO)_5$ to the $M(\eta^2\text{-}S_2)$ moiety of $Cp_2M(S_2)H$ (Cp′ = $^tBuC_5H_4$: M = Ta; $Cp^x = C_5Me_4Et$: M = Nb) and crystal structures of $Cp'_2TaS_2H \cdot [Cr(CO)_5]_n$ ($n = 1$, 2) (H. Brunner, G. Gehart, J.-C. Leblanc, C. Moise, B. Nuber, B. Stubenhofer, F. Volpato and J. Wachter), 47
Molybdenum and tungsten complexes containing the 1,2-di-*tert*-butylcyclopentadienyl ligand (R.P. Hughes, J.R. Lomprey, A.L. Rheingold and G.P.A. Yap), 63

Morpholines
Etude de la régiosélectivite de l'action des organozinciques α-insaturés sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. III. Synthèse de 3-amino-1,5 (ou 1,6)-diols, cyclisation en 3-prop-1-énylmorpholines et en 5-s-butyl-2,3-dihydro-6*H*-1,4-oxazines substituées (G. Courtois et L. Miginiac), 37
Niobium
Addition of $Cr(CO)_5$ to the $M(\eta^2\text{-}S_2)$ moiety of $Cp_2M(S_2)H$ ($Cp' = {}^tBuC_5H_4$: M = Ta; $Cp^x = C_5Me_4Et$: M = Nb) and crystal structures of $Cp'_2TaS_2H \cdot [Cr(CO)_5]_n$ ($n = 1$, 2) (H. Brunner, G. Gehart, J.-C. Leblanc, C. Moise, B. Nuber, B. Stubenhofer, F. Volpato and J. Wachter), 47
NMR
Alkyne complexes of copper(I) (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato): syntheses and characterization of (η^2-bis(trimethylsilyl)acetylene) copper(I) (hfac), (μ-η^2-bis(trimethylsilyl)-acetylene) bis(copper(I) (hfac)) and a series of (η^2-alkyne) Cu(hfac) complexes (P. Doppelt and T.H. Baum), 53
Stannacyclohexanes and spiro-tin compounds with a stannole or a stannolene group (B. Wrackmeyer, U. Klaus, W. Milius, E. Klaus and T. Schaller), 235
Triorganotin(IV) derivatives of several 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization and behavior in solution. Crystal structure of aquotrimethyl(4-*p*-methoxybenzoyl-1-phenyl-3-methyl- pyrazolon-5-ato)tin(IV) (F. Marchetti, C. Pettinari, A. Cingolani, G.G. Lobbia, A. Cassetta and L. Barba), 141
Olefins
Highly stereoselective palladium-catalyzed coupling reactions of captodative olefins acetylvinyl arenecarboxylates (L. Villar, J.P. Bullock, M.M. Khan, A. Nagarajan, R.W. Bates, S.G. Bott, G. Zepeda, F. Delgado and J. Tamariz), 9
Organic synthesis
Etude de la régiosélectivite de l'action des organozinciques α-insaturés sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. III. Synthèse de 3-amino-1,5 (ou 1,6)-diols, cyclisation en 3-prop-1-énylmorpholines et en 5-s-butyl-2,3-dihydro-6*H*-1,4-oxazines substituées (G. Courtois et L. Miginiac), 37
Organopotassium compounds
Über Metallalkyl- und Arylverbindungen LV. Cyclopentadienyl- und Indenyl-Verbindungen des Kaliums und Natriums (V. Jordan, U. Behrens, F. Olbrich und E. Weiss), 81
Organosodium compounds
Über Metallalkyl- und Arylverbindungen LV. Cyclopentadienyl- und Indenyl-Verbindungen des Kaliums und Natriums (V. Jordan, U. Behrens, F. Olbrich und E. Weiss), 81
Organostannanes
Highly stereoselective palladium-catalyzed coupling reactions of captodative olefins acetylvinyl arenecarboxylates (L. Villar, J.P. Bullock, M.M. Khan, A. Nagarajan, R.W. Bates, S.G. Bott, G. Zepeda, F. Delgado and J. Tamariz), 9
Orthometallation
Metallation in connection with cross-coupling reactions. Coupling of hindered aryls for the synthesis of 4-phenylpyridines as part of *Streptonigrin* and *Lavendamycin* analogues (A. Godard, P. Rocca, V. Pomel, L. Thomas-dit-Dumont, J.C. Rovera, J.F. Thaburet, F. Marsais and G. Quéguiner), 25
Osmium cluster
The photochemical reactivity of triosmium cluster complexes containing 2-mercaptopyridine ligands: the crystal and molecular structures of the linked clusters $[\{Os_3H(CO)_{10}\}_2(\mu\text{-}SC_5H_3NCO_2)]$ and $[\{Os_3H(CO)_9\}(\mu\text{-}SC_5H_3NCO_2)\{Os_3H(CO)_{10}\}]$ (E.W. Ainscough, A.M. Brodie, R.K. Coll, T.G. Kotch, A.J. Lees, A.J.A. Mair and J.M. Waters), 173
Oxide
Molybdenum and tungsten complexes containing the 1,2-di-*tert*-butylcyclopentadienyl ligand (R.P. Hughes, J.R. Lomprey, A.L. Rheingold and G.P.A. Yap), 63
Oxygen-bridged
The role of μ-hydroxy and μ-alkoxy binuclear complexes in tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 107
Palladium
Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides. (Part II): methoxide formation and carbonylation reactions (G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.H. Van den Broek, D.M. Grove and G. Van Koten), 123
Highly stereoselective palladium-catalyzed coupling reactions of captodative olefins acetylvinyl arenecarboxylates (L. Villar, J.P. Bullock, M.M. Khan, A. Nagarajan, R.W. Bates, S.G. Bott, G. Zepeda, F. Delgado and J. Tamariz), 9
Metal complexes of biologically important ligands, LXXXVII. α-Amino carboxylate complexes of palladium(II), iridium(III) and ruthenium(II) from chloro-bridged ortho-metallated metal compounds and $[(OC)_3Ru(Cl)(\mu\text{-}Cl)]_2$ (R. Urban, R. Krämer, S. Mihan, K. Polborn, B. Wagner and W. Beck), 191
Metallation in connection with cross-coupling reactions. Coupling of hindered aryls for the synthesis of 4-phenylpyridines as part of *Streptonigrin* and *Lavendamycin* analogues (A. Godard, P. Rocca, V. Pomel, L. Thomas-dit-Dumont, J.C. Rovera, J.F. Thaburet, F. Marsais and G. Quéguiner), 25
Pentadienyl complexes
Organometallic alkylthiolate-bridged manganese cubanes (M. Reyes-Lezama, R.A. Toscano and N. Zúñiga-Villarreal), 19
Phenylation
Trans influence in platinum(II)i complexes. Phenylation of Pt(II) dialkylsulfide complexes by BPh_4^- and $SnPh_3H$. Crystal structures of two polymorphs of *trans*-chlorobis(dimethylsulfide)-(phenyl)platinum(II) (P. Kapoor, V.Yu. Kukushkin, K. Lövqvist and Å. Oskarsson), 71
4-Phenylpyridines
Metallation in connection with cross-coupling reactions. Coupling of hindered aryls for the synthesis of 4-phenylpyridines as part of *Streptonigrin* and *Lavendamycin* analogues (A. Godard, P. Rocca, V. Pomel, L. Thomas-dit-Dumont, J.C. Rovera, J.F. Thaburet, F. Marsais and G. Quéguiner), 25
Phosphine
Some reactions of 2,4-diphosphaplatinocycles and the crystal structures of $[PtCH_2PPh_2CH_2PPh_2(PPh_3)(CH_2Cl)]PF_6$, $[Pt(CH_2PPh_2CH_2PPh_2)_2](PF_6)_2$, and $[PtCH_2PPh_2CH_2PPh_2\text{-}(PPh_3)(OCMe_2)](PF_6)_2$ (T. Ghaffar, A. Kieszkiewicz, S.C. Nyburg and A.W. Parkins), 227
Photochemistry
The photochemical reactivity of triosmium cluster complexes containing 2-mercaptopyridine ligands: the crystal and molecular structures of the linked clusters $[\{Os_3H(CO)_{10}\}_2(\mu\text{-}SC_5H_3NCO_2)]$ and $[\{Os_3H(CO)_9\}(\mu\text{-}SC_5H_3NCO_2)\{Os_3H(CO)_{10}\}]$ (E.W. Ainscough, A.M. Brodie, R.K. Coll, T.G. Kotch, A.J. Lees, A.J.A. Mair and J.M. Waters), 173
Platinum
Some reactions of 2,4-diphosphaplatinocycles and the crystal structures of $[PtCH_2PPh_2CH_2PPh_2(PPh_3)(CH_2Cl)]PF_6$, $[Pt(CH_2PPh_2CH_2PPh_2)_2](PF_6)_2$, and $[PtCH_2PPh_2CH_2PPh_2\text{-}(PPh_3)(OCMe_2)](PF_6)_2$ (T. Ghaffar, A. Kieszkiewicz, S.C. Nyburg and A.W. Parkins), 227
Platinum(II)
Trans influence in platinum(II)i complexes. Phenylation of Pt(II) dialkylsulfide complexes by BPh_4^- and $SnPh_3H$. Crystal struc-

tures of two polymorphs of *trans*-chlorobis(dimethylsulfide)-(phenyl)platinum(II) (P. Kapoor, V.Yu. Kukushkin, K. Lövqvist and Å. Oskarsson), 71

Polymorphs

Trans influence in platinum(II)i complexes. Phenylation of Pt(II) dialkylsulfide complexes by BPh_4^- and $SnPh_3H$. Crystal structures of two polymorphs of *trans*-chlorobis(dimethylsulfide)-(phenyl)platinum(II) (P. Kapoor, V.Yu. Kukushkin, K. Lövqvist and Å. Oskarsson), 71

Pyrazolonato complexes

Triorganotin(IV) derivatives of several 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization and behavior in solution. Crystal structure of aquotrimethyl(4-*p*-methoxybenzoyl-1-phenyl-3-methyl- pyrazolon-5-ato)tin(IV) (F. Marchetti, C. Pettinari, A. Cingolani, G.G. Lobbia, A. Cassetta and L. Barba), 141

Pyridene

Rhenium carbonyls containing pyridyl ligands incorporating an alkyne entity (J.T. Lin, S.-S. Sun, J.J. Wu, Y.-C. Liaw and K.-J. Lin), 217

Pyridinethiolato

Some pyridine-2-thiolato and 6-methylpyridine-2-thiolato complexes of manganese: crystal structure of $[Mn_2(\mu\text{-pyS})_2(CO)_6]$ (pyS = pyridine-2-thiolato ligand) (S.E. Kabir, M.M. Karim, K. Kundu, S.M.B. Ullah and K.I. Hardcastle), 155

α-Pyrone

Preparation and some properties of Mn(I) metallocenylacetylide and the related complexes (M. Sato and E. Mogi), 1

Rhenium

Rhenium carbonyls containing pyridyl ligands incorporating an alkyne entity (J.T. Lin, S.-S. Sun, J.J. Wu, Y.-C. Liaw and K.-J. Lin), 217

Ruthenium

Metal complexes of biologically important ligands, LXXXVII. α-Amino carboxylate complexes of palladium(II), iridium(III) and ruthenium(II) from chloro-bridged ortho-metallated metal compounds and $[(OC)_3Ru(Cl)(\mu\text{-Cl})]_2$ (R. Urban, R. Krämer, S. Mihan, K. Polborn, B. Wagner and W. Beck), 191

Molecular structure of chlororuthenocenium$^+BF_4^-$ and chlorobiruthenocenium$^+BF_4^-$ salts (M. Watanabe, I. Motoyama, M. Shimoi and H. Sano), 115

Ruthenocene

Preparation and some properties of Mn(I) metallocenylacetylide and the related complexes (M. Sato and E. Mogi), 1

Stannacyclohexane

Stannacyclohexanes and spiro-tin compounds with a stannole or a stannolene group (B. Wrackmeyer, U. Klaus, W. Milius, E. Klaus and T. Schaller), 235

Stannole

Stannacyclohexanes and spiro-tin compounds with a stannole or a stannolene group (B. Wrackmeyer, U. Klaus, W. Milius, E. Klaus and T. Schaller), 235

Stannolene

Stannacyclohexanes and spiro-tin compounds with a stannole or a stannolene group (B. Wrackmeyer, U. Klaus, W. Milius, E. Klaus and T. Schaller), 235

Synthesis

Metallation in connection with cross-coupling reactions. Coupling of hindered aryls for the synthesis of 4-phenylpyridines as part of *Streptonigrin* and *Lavendamycin* analogues (A. Godard, P. Rocca, V. Pomel, L. Thomas-dit-Dumont, J.C. Rovera, J.F. Thaburet, F. Marsais and G. Quéguiner), 25

Triorganotin(IV) derivatives of several 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization and behavior in solution. Crystal structure of aquotrimethyl(4-*p*-methoxybenzoyl-1-phenyl-3-methyl- pyrazolon-5-ato)tin(IV) (F. Marchetti, C. Pettinari, A. Cingolani, G.G. Lobbia, A. Cassetta and L. Barba), 141

Thiamine

The crystal structure of the salts [Hthiamine] $[SnMe_2(H_2O)Cl_3]Cl$ and [Hthiamine]$[SnPh_2Cl_4]H_2O$: competition between water and chloride for coordination to diorganotin dihalides (J.S. Casas, A. Castiñeiras, M.D. Couce, G. Martinez, J. Sordo and J.M. Varela), 165

Thioarsinic acid

Oxidation of $(AsPh_2)_2E$ (E = O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetranuclear adduct and crystal structure of $[AsPh_2(O)OH \cdot AsPh_2(S)OH]_2$ (L. Silaghi-Dumitrescu, M.N. Gibbons, I. Silaghi-Dumitrescu, J. Zukerman-Schpector, I. Haiduc and D.B. Sowerby), 101

Thioether complexes

Trans influence in platinum(II)i complexes. Phenylation of Pt(II) dialkylsulfide complexes by BPh_4^- and $SnPh_3H$. Crystal structures of two polymorphs of *trans*-chlorobis(dimethylsulfide)-(phenyl)platinum(II) (P. Kapoor, V.Yu. Kukushkin, K. Lövqvist and Å. Oskarsson), 71

Thiolates

Organometallic alkylthiolate-bridged manganese cubanes (M. Reyes-Lezama, R.A. Toscano and N. Zúñiga-Villarreal), 19

Thiolato

The photochemical reactivity of triosmium cluster complexes containing 2-mercaptopyridine ligands: the crystal and molecular structures of the linked clusters $[\{Os_3H(CO)_{10}\}_2(\mu\text{-}SC_5H_3NCO_2)]$ and $[\{Os_3H(CO)_9\}(\mu\text{-}SC_5H_3NCO_2)\{Os_3H(CO)_{10}\}]$ (E.W. Ainscough, A.M. Brodie, R.K. Coll, T.G. Kotch, A.J. Lees, A.J.A. Mair and J.M. Waters), 173

Thiosalicylato ligand

Preparation and structures of tetrameric and dimeric manganese carbonyl complexes incorporating thiosalicylato ligands (C.V. Depree, L. Main, B.K. Nicholson and K. Roberts), 201

Tin

Highly stereoselective palladium-catalyzed coupling reactions of captodative olefins acetylvinyl arenecarboxylates (L. Villar, J.P. Bullock, M.M. Khan, A. Nagarajan, R.W. Bates, S.G. Bott, G. Zepeda, F. Delgado and J. Tamariz), 9

Stannacyclohexanes and spiro-tin compounds with a stannole or a stannolene group (B. Wrackmeyer, U. Klaus, W. Milius, E. Klaus and T. Schaller), 235

The crystal structure of the salts [Hthiamine] $[SnMe_2(H_2O)Cl_3]Cl$ and [Hthiamine]$[SnPh_2Cl_4]H_2O$: competition between water and chloride for coordination to diorganotin dihalides (J.S. Casas, A. Castiñeiras, M.D. Couce, G. Martinez, J. Sordo and J.M. Varela), 165

The role of μ-hydroxy and μ-alkoxy binuclear complexes in tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 107

Triorganotin(IV) derivatives of several 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization and behavior in solution. Crystal structure of aquotrimethyl(4-*p*-methoxybenzoyl-1-phenyl-3-methyl- pyrazolon-5-ato)tin(IV) (F. Marchetti, C. Pettinari, A. Cingolani, G.G. Lobbia, A. Cassetta and L. Barba), 141

Titanium

Synthesis and molecular structures of titanocene, zirconocene, and uranocene dichlorides containing 1,2-di-*tert*-butylcyclopentadienyl ligands (R.P. Hughes, J.R. Lomprey, A.L. Rheingold, B.S. Haggerty and G.P.A. Yap), 89

Synthesis and reactivity of titanocene and zirconocene triflates (G.A. Luinstra), 209

Triflate

Synthesis and reactivity of titanocene and zirconocene triflates (G.A. Luinstra), 209

Trimethylsilyl

Alkyne complexes of copper(I) (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato): syntheses and characterization of (η^2-bis(trimethyl-

silyl)acetylene) copper(I) (hfac), (μ-η^2-bis(trimethylsilyl)-acetylene) bis(copper(I) (hfac)) and a series of (η^2-alkyne) Cu(hfac) complexes (P. Doppelt and T.H. Baum), 53

Tungsten

Molybdenum and tungsten complexes containing the 1,2-di-*tert*-butylcyclopentadienyl ligand (R.P. Hughes, J.R. Lomprey, A.L. Rheingold and G.P.A. Yap), 63

Uranium

Synthesis and molecular structures of titanocene, zirconocene, and uranocene dichlorides containing 1,2-di-*tert*-butylcyclopentadienyl ligands (R.P. Hughes, J.R. Lomprey, A.L. Rheingold, B.S. Haggerty and G.P.A. Yap), 89

Urethane formation

The role of μ-hydroxy and μ-alkoxy binuclear complexes in tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 107

X-ray

Stannacyclohexanes and spiro-tin compounds with a stannole or a stannolene group (B. Wrackmeyer, U. Klaus, W. Milius, E. Klaus and T. Schaller), 235

X-ray diffraction

Some reactions of 2,4-diphosphaplatinocycles and the crystal structures of $[PtCH_2PPh_2CH_2PPh_2(PPh_3)(CH_2Cl)]PF_6$, $[Pt(CH_2PPh_2CH_2PPh_2)_2](PF_6)_2$, and $[PtCH_2PPh_2CH_2PPh_2(PPh_3)(OCMe_2)](PF_6)_2$ (T. Ghaffar, A. Kieszkiewicz, S.C. Nyburg and A.W. Parkins), 227

Trans influence in platinum(II)i complexes. Phenylation of Pt(II) dialkylsulfide complexes by BPh_4^- and $SnPh_3H$. Crystal structures of two polymorphs of *trans*-chlorobis(dimethylsulfide)-(phenyl)platinum(II) (P. Kapoor, V.Yu. Kukushkin, K. Lövqvist and Å. Oskarsson), 71

X-ray structure

Addition of $Cr(CO)_5$ to the M(η^2-S_2) moiety of $Cp_2M(S_2)H$ (Cp' = $^tBuC_5H_4$: M = Ta; $Cp^x = C_5Me_4Et$: M = Nb) and crystal structures of $Cp'_2TaS_2H \cdot [Cr(CO)_5]_n$ (n = 1, 2) (H. Brunner, G. Gehart, J.-C. Leblanc, C. Moise, B. Nuber, B. Stubenhofer, F. Volpato and J. Wachter), 47

Cycloaddition reactions of the manganese vinylidene $Cp'(CO)_2Mn=C=C(H)R$, carbyne $[Cp'(CO)_2Mn\equiv CCH_2R]^+$, and anionic carbene $[Cp'(CO)_2Mn=C(OEt)CHR]^-$ (R = H, Me) complexes with 1,4-diphenyl-1-azabutadiene (C. Gimenez, N. Lugan, R. Mathieu and G.L. Geoffroy), 133

Synthesis, properties and X-ray crystal structure of bis(decamethyllanthanocene)-anthracene (K.-H. Thiele, S. Bambirra, H. Schumann and H. Hemling), 161

The crystal structure of the salts [Hthiamine] $[SnMe_2(H_2O)Cl_3]Cl$ and [Hthiamine]$[SnPh_2Cl_4]H_2O$: competition between water and chloride for coordination to diorganotin dihalides (J.S. Casas, A. Castiñeiras, M.D. Couce, G. Martinez, J. Sordo and J.M. Varela), 165

Triorganotin(IV) derivatives of several 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization and behavior in solution. Crystal structure of aquotrimethyl(4-*p*-methoxybenzoyl-1-phenyl-3-methyl- pyrazolon-5-ato)tin(IV) (F. Marchetti, C. Pettinari, A. Cingolani, G.G. Lobbia, A. Cassetta and L. Barba), 141

Zinc

Highly stereoselective palladium-catalyzed coupling reactions of captodative olefins acetylvinyl arenecarboxylates (L. Villar, J.P. Bullock, M.M. Khan, A. Nagarajan, R.W. Bates, S.G. Bott, G. Zepeda, F. Delgado and J. Tamariz), 9

Zirconium

Synthesis and molecular structures of titanocene, zirconocene, and uranocene dichlorides containing 1,2-di-*tert*-butylcyclopentadienyl ligands (R.P. Hughes, J.R. Lomprey, A.L. Rheingold, B.S. Haggerty and G.P.A. Yap), 89

Synthesis and reactivity of titanocene and zirconocene triflates (G.A. Luinstra), 209